



## **dalcon<sup>TM</sup> SIZE LIST – IMPERIAL/English (U.S.)**

<b>DESCRIPTION</b>	<b>PAGE</b>
Table of contents	1
PTFE Film/Sheets	2



<b>PRODUCT: PTFE Film/Sheets</b>			<b>GRADE: dalcon™ 001 Natural</b>			
Thickness Inches	Tolerance Inches	ft/Roll (approx)	24" wide lbs/ft	36" wide lbs/ft	48" wide lbs/ft	60" wide lbs/ft
0.001	+0.0001/-0	16404	0.023	0.0352	0.0466	-
0.002	+0.0004/-0	7647	0.0482	0.0748	0.0888	-
0.003	+0.0008/-0	4921	0.0701	0.1079	0.1400	-
0.004	+0.001/-0	3937	0.1008	0.1551	0.2021	0.2526
0.005	+0.001/-0	3083	0.1184	0.1889	0.2373	0.2967
0.006	+0.001/-0	2608	0.1447	0.8003	0.2900	0.3625
0.008	+0.001/-0	1984	0.1885	0.2900	0.3780	0.4724
0.010	+0.001/-0	1656	0.2324	0.3575	0.4638	0.5797
0.012	+0.001/-0	1345	0.2764	0.4250	0.5538	0.6922
0.015	+0.001/-0	1033	0.3639	0.5599	0.7296	0.9120
0.020	+0.003/-0	836	0.4736	0.7286	0.9494	1.1867
0.025	+0.003/-0	675	0.5613	0.8635	1.1252	1.4065
0.027	+0.003/-0	597	0.6490	0.9985	1.3011	1.6263
0.031	+0.003/-0	524	0.7367	1.1334	1.4769	1.8461
0.040	+0.003/-0	426	0.9121	1.4033	1.8286	2.2856
0.050	+0.005/-0	318	101490	1.7676	2.3034	2.8792
0.062	+0.006/-0	262	1.3814	2.1252	2.7693	3.4616
0.078	+0.008/-0	213	1.8418	2.8337	3.6924	4.6155
0.093	+0.008/-0	180	2.2804	3.5083	4.5715	5.7144
0.125	+0.010/-0	127	2.7409	4.2167	4.4946	6.8683
0.137	+0.008/-0.003	114	3.1136	4.7902	6.2419	7.8024
0.157	+0.011/-0	100	3.6399	5.5989	7.2969	9.1211
0.187	+0.011/-0	97	4.3354	6.6687	8.6912	-
<b>WEIGHTS STATED ARE APPROXIMATE AND FOR GUIDE PURPOSES ONLY</b>						
<b>Product Specification</b>						
Natural conforms to: ASTM D3308: T2-G1 (except thickness tolerance).						
SAE AMS 3662C & 3667C Type 2. ASTM D3308 Type 2 Grade 1						
<b>Price Conditions</b>						
The offered prices are subject to a change without prior notice.						
Minimum Order \$100.00 for products which are available ex-stock.						
Consignments are FOB Bedford, NH. 48" and 60" wide filled grades subject to quotation.						
<b>Filled Grades – Weight changes as follows:</b>						
15% Glass Fiber +5%		25% Glass Fiber +9%		15% Graphite +9%		
60% Bronze +80%		50% Stainless Steel +120%		25% Coke +0%		
<b>Quality Certification</b>						
Commercial Certificate of Conformity.		FOC	Each			
Material Analysis Report		\$25.00	Each			
BS EN ISO 9001 Certificate		\$25.00	Each			
<b>Information</b>						
Colors & other Filled Grades available subject to quotation. Graphite, Bronze, MOS <sub>2</sub> , Conductive, Glass, Stainless Steel, Carbon/Coke. Suitable to finish to the normal sizes stated.						



PRODUCT: PTFE Sheets		GRADE: dalcon™ 001 Natural			
Thickness Inches	Thickness Tolerance Inches	12" x 12" Weight lbs/Each	24" x 24" Weight lbs/Each	36" x 36" Weight lbs/Each	48" x 48" Weight lbs/Each 60" wide lbs/ft
0.040	+0.003/-0	0.4409	1.9841	4.8501	81570
0.062	+0.006/-0	0.6613	2.9762	7.2751	10.5820
0.078	+0.008/-0	0.8818	3.9682	9.7002	14.3292
0.093	+0.008/-0	1.1023	4.5115	12.1253	18.0777
0.125	+0.010/-0	1.3227	5.9524	14.5503	22.2664
0.157	+0.011/-0	1.9841	7.9365	19.8414	31.9667
0.187	+0.011/-0	2.4000	9.9207	24.2506	39.6828
0.250	+15%/-0	2.8650	11.9048	28.6598	46.2966
0.315	+15%/-0	3.7478	15.8731	39.6828	62.8311
0.375	+15%/-0	4.8501	19.8414	47.3989	78.2633
0.500	+15%/-0	5.7319	2.8096	58.4219	94.7978
0.625	+20%/-0	6.8242	29.7621	70.5472	116.8438
0.750	+20%/-0	10.1411	39.6828	94.7978	158.7312
1.000	+20%/-0	11.4639	50.7058	116.8438	198.4140
1.500	+20%/-0	18.7391	77.1610	169.7542	310.8486
1.750	+20%/-0	21.0814	86.8061	190.9734	349.7046
2.00	+20%/-0	23.1483	97.0024	207.2324	405.6464
<b>WEIGHTS STATED ARE APPROXIMATE AND FOR GUIDE PURPOSES ONLY</b>					
<b>Product Specification</b>					
Natural conforms to: ASTM D3293:T2:G1:A SAE AMS 3662C & 3667C Type 2.					
<b>Price Conditions</b>					
The offered prices are subject to a change without prior notice. Minimum Order \$100.00 for products which are available ex-stock. Consignments are FOB Bedford, NH.					
<b>Quality Certification</b>					
Commercial Certificate of Conformity. FOC					
Material Analysis Report \$25.00 Each					
BS EN ISO 9001 Certificate \$25.00 Each					
<b>Information</b>					
Sheet size tolerance: +1.180" -0.00.					
Colors & other Filled Grades available subject to quotation. Graphite, Bronze, MOS <sub>2</sub> , Conductive, Glass, Stainless Steel, Carbon/Coke. Suitable to finish to the normal sizes stated.					

